

The Stainless Steel Flat Bars You Need, When You Need Them.



Aperam Stainless Steel Flat Bars

Customised and tailored to your unique needs.



Available in a combination of 1,100 different grades, dimensions, finishings, with possible lengths of between 2,000 – 6,000 mm and a thickness range of 2 – 20 mm, Aperam has one of the market's most comprehensive portfolios of stainless steel flat bar

Our customers demand high-quality, low-carbon, environmentally friendly raw materials that are backed by flexible purchasing options and excellent customer service.

Aperam's Flat Bar team in Luxembourg ticks all the boxes.

Norms

CERTIFIED

Chemical composition



Dimensional range



Surface aspect



Low carbon stainless steel




Easy to Order 24/7


www.e-aperam.com

Whether ordering by kilogram, piece or package, e-aperam lets you order stainless steel flat bars anywhere, anytime, and in just three simple steps. You can even use it to communicate directly with us about your special requests and unique needs.

Fast Delivery Services

Because we keep most standard products in stock, we can typically deliver stainless steel flat bar orders starting from 500 kg in as little as 10 days. When it comes to samples or an unforeseen last-minute need, we can deliver even faster!





Your Satisfaction is Our Priority

An impressive 94% of customers surveyed say they favour Aperam over the competition. Their reasons: our unrivalled quality, unbeatably diverse product range, outstanding support, fast response times and on-time deliveries.

Raising the Bar in Sustainability

With Aperam, you not only get the best quality stainless steel flat bars, you also help reduce your own CO₂ footprint and that of your customers. coils that contain up to 90% scrap – scrap that is supplied by our European mills that use electric arc furnaces and are ResponsibleSteel™





Certificates

The reference for quality stainless steel products:







High-Quality, Made in Luxembourg

Length: from 2,000 to 6,000 mm. Other lengths possible: (below 2,000 mm and up to 8,000 mm) upon request.

Norms: EN 10028-7. EN 10058. ISO 18286.

EN 10088-4, EN 10088-2 with certificate 3.1 (EN 10204).

Standard grades: HRAP 1.4301, 1.4307, 1.4541, 1.4404, 1.4571, 1.4016 (and even more for your project: 1.4003, 1.4509, 1.4512).

Package: bundle of 500 kg.

Service ++: your stainless steel flat bars with 4 polished sides!

Thinkness (mm)	Width (mm)		Length (mm)	
	Mini	Maxi	Mini	Maxi
2	10	120	2,000	6,000
3	10	300	2,000	6,000
4	10	300	2,000	6,000
5	15	250	2,000	6,000
6	15	300	2,000	6,000
8	20	300	2,000	6,000
10	20	300	2,000	6,000
12	30	300	2,000	6,000
15	40	250	2,000	6,000
20	50	250	2,000	4,000-6,000*

^{* 6,000} mm for 1.4307 and 4,000 mm for other grades



Aperam Stainless Services & Solutions Luxembourg S.A.

Site du PED 15 Avenue de l'Europe – BP 55 L-4801 RODANGE – Luxembourg

+352 50 54 81 1 commercial-rodange@aperam.com

e-aperam.com | aperam.com

© 2023, Aperam. While every care has been taken to ensure that the information contained in this publication is as accurate as possible, Aperam cannot guarantee that it is complete or that it is free from error. Photos: ©Adobe stock, ©Shutterstock, ©Aperam. Design: Aressy



Aperam Group is committed to the highest ratings









